

# CineCert

2840 North Lima Street, Suite 110A

Burbank, CA 91504

Tel: (818) 563-1455

Fax: (818) 563-1459

**Notice pursuant to Section 2.3.2 of the Testing Authorization and Test Suite Licensing Agreement made and entered into as of October 1, 2008 by and between Digital Cinema Initiatives (DCI) and CineCert, LLC.**

To:

Chairman, DCI Member Representatives Committee

Chairman, DCI Technical Committee

<b>Report Dated</b>	18 <sup>th</sup> May, 2017
<b>CTP Chapter</b>	Chapter 13. Digital Cinema Server Consolidated Test Sequence (V1.2)
<b>Equipment Tested</b> Manufacturer Make Model Version	Digital Cinema Systems Corporation Digital Cinema Server Digicine FilmStore 4.0 <i>(detailed version information below)</i>
<b>Report Number</b>	CC-DC-FS-Server-05182017
<b>Result</b>	No Failures Detected

# CineCert

2840 North Lima Street, Suite 110A

Burbank, CA 91504

Tel: (818) 563-1455

Fax: (818) 563-1459

## Version Detail:

### Digicine FilmStore

Module	Version [System 1]
<b>Software Identification</b>	
Install Date	4/12/2017
<b>SMS Host Computer</b>	
Holographic security label (scancode)	Microsoft WINDOWS 10 PRO FOR OEM SOFTWARE 6RG8K-NK7B3-KPDVX-W28FR-HQWXF 03307129525356 X20-19608
About Windows	Version 1511 (OS Build 10586.633)
<b>PlayControl.exe</b>	
Top left of screen	4.0.0.17
<b>FSSetupUtility.exe</b>	
Player Configuration and Installation utility	v3.0.1.102
<b>FSShowSchedule.exe</b>	
About DigiCine Show Schedule Editor	DigiCine Schedule Editor Version 1.0 Copyright © 2009
<b>MikroM IMB Web Interface</b>	
Top left of screen	The Universal IMB 1.23.0
UID:	2250.000128
mvc201:	[PCB v1.1]
API version:	12.4.113.20539
driver version:	1.23.15.20535
firmware version:	1.23.157.20779
bootloader version:	1.3.7.18217
IpServer version:	V12.4.8.20539
<b>mvc2control.exe getUID</b>	
UID:	2250.000128
API version:	12.4.115.20585
driver version:	1.23.15.20535
firmware version:	1.23.157.20779
bootloader version:	1.3.7.18217
IPServer version:	12.4.8.20539
<b>Contained in SMPTE-430-5-2008 Log Report</b>	
<reportingDevice><DeviceIdentifier>	HUsW6kzeF3bta0RLYqSEZtCmzSE=
<reportingDevice><DeviceTypeID>	SM
<reportingDevice><AdditionalID>	GEjWAv59CKTGS+jXP9mYkmEtusQ=

# CineCert

2840 North Lima Street, Suite 110A

Burbank, CA 91504

Tel: (818) 563-1455

Fax: (818) 563-1459

<reportingDevice><DeviceSerial>	2250.000128
<reportingDevice><ManufacturerCertID>	u7ggN/ixLZuS4E89Hs5Zc7KNoTo=
<reportingDevice><ManufacturerName>	Digital Cinema Systems Corporation
<reportingDevice><DeviceName>	MVC201
<reportingDevice><VersionInfo><Name>	Bootloader
<reportingDevice><VersionInfo><Value>	1.3.7.18217
<reportingDevice><VersionInfo><Name>	Firmware
<reportingDevice><VersionInfo><Value>	1.23.157.20779
<b>Hardware Identification</b>	
<b>Integrated Media Block Enclosure</b>	
White label	MK000128
<b>SuperMicro Board</b>	
White label	X7SPE-HF-D525
Silkscreen	REV:1.00
White label (barcode)	IPMI: 0CC47AB8A317
White label (barcode)	MAC:0CC47AB23B6C,3B6D
White label (barcode)	S/N:VM15AS007480 Made in China WARRANTY VOID IF REMOVED
White label (barcode)	12S2A100PDXHX5AD03N
<b>SATA DOM</b>	
Silk screen	JMF609-7PSATA-1T
Silk screen	REV2.0
Holographic silver label	16GB
White label	KingSpec CJK characters 4008813150 13828823315 www.kingspec.com
<b>Intergrated Media Block</b>	
<b>Top side of PCB</b>	
White label (scancode)	PN:2250 SN:000128
<b>Bottom side of PCB</b>	
Etched on PCB	MikroM GmbH IMB-G3 FLORA V1.1
<b>Top of Daughter board PCB</b>	
White label (scancode)	00-0C-C6-77-9A-27 TK71-1220
PCB traces	Ka-Ro electronics GmbH TK71 www.KARO-electronics.com v2
<b>Power Supply #1</b>	
Top label	SPI SPARKLE POWER INC. SWITCHING POWER SUPPLY MODEL NO SPI150FA AC INPUT: 100-240V~, 4-2A, 60-50HZ MAX. OUTPUT POWER: 150W (+3.3V & +5V=85W Max) DC OUTPUT: +3.3VDC 10.0A(ORG), +5VDC 13.0A(RED),

# CineCert

2840 North Lima Street, Suite 110A

Burbank, CA 91504

Tel: (818) 563-1455

Fax: (818) 563-1459

	+12VDC 10.0A(YEL) +5VDCsb 2.0A(PURP), -12VDC 0.5A(BLUE) P.G. SIGNAL (GRAY), GROUND(BLACK)
Side label (barcode)	P/N:9PA1503411 S/N: S5521151094 SPI P/N:SPI150FA
Side label (barcode)	UPC CODE:677808611235
<b>Power Supply #2</b>	
White label	XP Power www.xppower.com MODEL: GCS150PS12 INPUT ~100-240VAC 50/60Hz 1.8A OUTPUT 1: 12V 12.5A 150W MAX S/N K15310177 P/N 10012375 C
<b>SMS Host Computer Enclosure</b>	
White label	FS 3227
<b>SuperMicro Motherboard</b>	
Silk screen	SUPER O
White label	A1SRM-2758F
Silk screen	REV:1.02
White label (barcode)	55500201000851900044J0H1
White label (barcode)	S/N:ZM155S003365 Made in China WARRANTY VOID IF REMOVED
White label (barcode)	IPMI: 0CC47A716202
White label (barcode)	Start MAC: 0CC47A716532 End MAC: 0CC47A716535
White label - U9_1	A1SAM 5.414
Gold security label	AMI Aptio Beyond BIOS AMERICAN MEGATRENDS V9 40586
<b>PCI Express Riser Board</b>	
Silk screen	01-6E4B-RS Rev:1.2 1011-016E41-240
Silk screen	PCI Express
White label (barcode)	CA-RO-13500-A 3628-0031
White label (barcode)	GHP-2UX16 ARX 510630
<b>RAM Module</b>	
Label	SUPER * TALENT STT DDR3-1600 4G/512X8 ECC Samsung W160EA4GS USM160105001 Made in China
White label (barcode)	10057 ARX 510744
<b>Security Key</b>	
Laser etch	MAX H

# CineCert

2840 North Lima Street, Suite 110A

Burbank, CA 91504

Tel: (818) 563-1455

Fax: (818) 563-1459

	MN 720427 OWDRR 11059227-1
White label	FS-3227
<b>LSI Raid Controller</b>	
Board top silk screen	LSI* 6Gb/s SAS PCI EXPRESS PCIe2x8
Board bottom silk screen	Board Name/Assembly/Rev
White label (barcode)	MR SAS 9240-4i L3-25091-03D
Board bottom silk screen	SAS Address
White label (barcode)	500605B 0-0B0F-C3C0
White label	LS2-SAS9240-4i (B)
White label (barcode)	SN:SP54641293
White label (barcode) - UB6	26113-00
Board bottom silk screen	D33156
Board bottom silk screen	© 2009 LSI Corp. All Rights Reserved
Board bottom silk screen	ASSEMBLED IN THAILAND
White label - N4292	CAN ICES-3(B)/NMB-3(B)
White label	C UL US LISTED E257743 ITE ACCESSORY For use with UL Listed ITE Equipment only
<b>Hard Disk #1</b>	
Main Label	WD 500GB SATA/64MB Cache WD5003AZEX WWN:50014EE2B775FBBF DATE : 08 NOV 2015 DCM : HANNHT2CHB DCX : NM0CK2T2C 5VDC : 0.68A 12VDC : 0.55A R/N : 771829 Product of Thailand S/N : WCC3F2VNC9CP MDL: WD5003AZEX-00MK2A0
White label (barcode)	WC C3F 2VN C9CP
<b>Hard Disk #2</b>	
Main Label	WD 500GB SATA/64MB Cache WD5003AZEX WWN:50014EE262204984 DATE : 08 NOV 2015 DCM : HANMKT2CHB DCX : XM06K1F2K 5VDC : 0.68A 12VDC : 0.55A R/N : 771829 Product of Thailand S/N : WCC3F1AXK565 MDL: WD5003AZEX-00MK2A0

# CineCert

2840 North Lima Street, Suite 110A

Burbank, CA 91504

Tel: (818) 563-1455

Fax: (818) 563-1459

White label (barcode)	WC C3F 1AX K565
<b>Hard Disk #3</b>	
Main Label	WD Enterprise-class 4.0TB WD Re SATA/64MB Cache WD4000FYYZ S/N : WMC130F0HD0J MDL : WD4000FYYZ-01UL1B3 WWN:50014EE0042679F8 LBA : 7814037168 DATE : 05 FEB 2016 5VDC : 0.52A DCM : HANNHTJMA 12VDC : 0.63A DCX : 0F30Y09EH R/N : 771822 Product of Malaysia
White label (barcode)	WM C13 0F0 HD0J
<b>Hard Disk #4</b>	
Main Label	WD Enterprise-class 4.0TB WD Re SATA/64MB Cache WD4000FYYZ S/N : WMC130F4EP9C MDL : WD4000FYYZ-01UL1B3 WWN:50014EE6B116C468 LBA : 7814037168 DATE : 05 FEB 2016 5VDC : 0.52A DCM : HANNNTJAA 12VDC : 0.63A DCX : 4F39Y06EE R/N : 771822 Product of Malaysia
White label (barcode)	WM C13 0F4 EP9C
<b>CRU Dataport Removable Disk</b>	
White label (barcode)	DX115 ID:06-300566979 C PN:6602-7100-0500 11/07/11 <a href="http://www.cru-dataport.com/digital-cinema">http://www.cru-dataport.com/digital-cinema</a>
Silver label	E237918 Rating:5/12VDC 3/6A N1388
<b>Power Supply</b>	
Top label	SPI SPARKLE POWER SWITCHING POWER SUPPLY MODEL NO:SPI3001UH AC INPUT: 100-240V~, 5.0A, 60-50HZ MAX OUTPUT POWER: 300W (+3.3V & +5V=120W MAX)(+12V1 & +12V2=20A MAX) +3.3VDC 16.0A(ORG), +5VDC 18.0A(RED), -5VDC 0.3A(WHITE) +12VDC1 16.0A(YEL/BLACK), +12VDC2 16.0A(YEL)

# CineCert

2840 North Lima Street, Suite 110A

Burbank, CA 91504

Tel: (818) 563-1455

Fax: (818) 563-1459

	+5VDCsb 2.5A(PURP), -12VDC 0.8A(BLUE) P.G. SIGNAL(GRAY), GROUND(BLACK)
Top label (barcode)	41081 ARX 508498
<b>Module</b>	<b>Version [System 2]</b>
<b>Software Identification</b>	
<b>Install Date</b>	2/17/17
<b>SMS Host Computer</b>	
Holographic security label (scancode)	Microsoft WINDOWS 10 PRO FOR OEM SOFTWARE QFRRN-PQ6F7-TFGF8-DRM8D-9D724 03307129192480 X20-19608
About Windows	Version 1511 (OS Build 10586.545)
<b>PlayControl.exe</b>	
Top left of screen	4.0.0.17
<b>FSSetupUtility.exe</b>	
Player Configuration and Installation utility	v3.0.1.102
<b>FSShowSchedule.exe</b>	
About DigiCine Show Schedule Editor	DigiCine Schedule Editor Version 1.0 Copyright © 2009
<b>MikroM IMB Web Interface</b>	
Top left of screen	The Universal IMB 1.23.0
UID:	2250.000107
mvc201:	[PCB v1.1]
API version:	12.4.113.20539
driver version:	1.23.15.20535
firmware version:	1.23.156.20757
bootloader version:	1.3.7.18217
IpServer version:	V12.4.8.20539
<b>mvc2control.exe getUID</b>	
UID:	2250.000107
API version:	12.4.115.20585
driver version:	1.23.15.20535
firmware version:	1.23.156.20757
bootloader version:	1.3.7.18217
IPServer version:	12.4.8.20539
<b>Contained in SMPTE-430-5-2008 Log Report</b>	
<reportingDevice><DeviceIdentifier>	2o9x8KhrT9wgmglkYlyvNljXSqA=
<reportingDevice><DeviceTypeID>	SM
<reportingDevice><AdditionalID>	DMO8yVveZStg7vTb09WokQtpvTw=
<reportingDevice><DeviceSerial>	2250.000107
<reportingDevice><ManufacturerCertID>	u7ggN/ixLZuS4E89Hs5Zc7KNoTo=

# CineCert

2840 North Lima Street, Suite 110A

Burbank, CA 91504

Tel: (818) 563-1455

Fax: (818) 563-1459

<reportingDevice><ManufacturerName>	Digital Cinema Systems Corporation
<reportingDevice><DeviceName>	MVC201
<reportingDevice><VersionInfo><Name>	Bootloader
<reportingDevice><VersionInfo><Value>	1.3.7.18217
<reportingDevice><VersionInfo><Name>	Firmware
<reportingDevice><VersionInfo><Value>	1.23.156.20757
<b>Hardware Identification</b>	
<b>Integrated Media Block Enclosure</b>	
White label	MK000107
<b>SuperMicro Board</b>	
White label	X7SPE-HF-D525
Silkscreen	REV:1.00
White label (barcode)	IPMI: 0CC47AB8DA0A
White label (barcode)	MAC:0CC47AB2F860,F861
White label (barcode)	S/N:VM15BS006877 Made in China WARRANTY VOID IF REMOVED
White label (barcode)	1282A100PDXHX5B604E
<b>SATA DOM</b>	
Silk screen	JMF609-7PSATA-1T
Silk screen	REV2.0
Holographic silver label	16GB
White label	KingSpec CJK characters 4008813150 13828823315 www.kingspec.com
<b>Intergrated Media Block</b>	
<b>Top side of PCB</b>	
White label (scancode)	PN:2250 SN:000107
<b>Bottom side of PCB</b>	
Etched on PCB	MikroM GmbH IMB-G3 FLORA V1.1
<b>Top of Daughter board PCB</b>	
White label (scancode)	00-0C-C6-7C-6C-60 TK71-1220
PCB traces	Ka-Ro electronics GmbH TK71 www.KARO-electronics.com v2
<b>Power Supply #1</b>	
Top label	SPI SPARKLE POWER INC. SWITCHING POWER SUPPLY MODEL NO SPI150FA AC INPUT: 100-240V~, 4-2A, 60-50HZ MAX. OUTPUT POWER: 150W (+3.3V & +5V=85W Max) DC OUTPUT: +3.3VDC 10.0A(ORG), +5VDC 13.0A(RED), +12VDC 10.0A(YEL) +5VDCsb 2.0A(PURP), -12VDC 0.5A(BLUE) P.G. SIGNAL (GRAY), GROUND(BLACK)

# CineCert

2840 North Lima Street, Suite 110A

Burbank, CA 91504

Tel: (818) 563-1455

Fax: (818) 563-1459

Side label (barcode)	P/N:9PA1503411 S/N: S5521151099 SPI P/N:SPI150FA
Side label (barcode)	UPC CODE:677808611235
<b>Power Supply #2</b>	
White label	XP Power www.xppower.com MODEL: GCS150PS12 INPUT ~100-240VAC 50/60Hz 1.8A OUTPUT 1: 12V 12.5A 150W MAX S/N V16030159 P/N 10012375 C
<b>SMS Host Computer Enclosure</b>	
White label	FS 3228
<b>SuperMicro Motherboard</b>	
Silk screen	SUPER O
White label	A1SRM-2758F
Silk screen	REV:1.02
White label (barcode)	555002010008519000AFJ0H1
White label (barcode)	S/N:ZM155S003377 Made in China WARRANTY VOID IF REMOVED
White label (barcode)	IPMI: 0CC47A71620E
White label (barcode)	Start MAC: 0CC47A716562 End MAC: 0CC47A716565
White label - U9_1	A1SAM 5.414
Gold security label	AMI Aptio Beyond BIOS AMERICAN MEGATRENDS V9 40598
<b>PCI Express Riser Board</b>	
Silk screen	01-6E4B-RS Rev:1.2 1011-016E41-240
Silk screen	PCI Express
White label (barcode)	CA-RO-13500-A 3628-0044
White label (barcode)	GHP-2UX16 ARX 510633
<b>RAM Module</b>	
Label	SUPER * TALENT STT DDR3-1600 4G/512X8 ECC Samsung W160EA4GS USM160105001 Made in China
White label (barcode)	10057 ARX 510747
<b>Security Key</b>	
Laser etch	MAX H MN 720427 OWDRR 11059227-1

# CineCert

2840 North Lima Street, Suite 110A

Burbank, CA 91504

Tel: (818) 563-1455

Fax: (818) 563-1459

White label	FS-3228
<b>LSI Raid Controller</b>	
Board top silk screen	LSI* 6Gb/s SAS PCI EXPRESS PCIe2x8
Board bottom silk screen	Board Name/Assembly/Rev
White label (barcode)	MR SAS 9240-4i L3-25091-03D
Board bottom silk screen	SAS Address
White label (barcode)	500605B 0-0B0F-C380
White label	LS2-SAS9240-4i (B)
White label (barcode)	SN:SP54641566
White label (barcode) - UB6	26113-00
Board bottom silk screen	D33156
Board bottom silk screen	© 2009 LSI Corp. All Rights Reserved
Board bottom silk screen	ASSEMBLED IN THAILAND
White label - N4292	CAN ICES-3(B)/NMB-3(B)
White label	C UL US LISTED E257743 ITE ACCESSORY For use with UL Listed ITE Equipment only
<b>Hard Disk #1</b>	
Main Label	WD 500GB SATA/64MB Cache WD5003AZEX WWN:50014EE2B7760128 DATE : 08 NOV 2015 DCM : HBNNKT2CBH DCX : UM0ZK2T2P 5VDC : 0.68A 12VDC : 0.55A R/N : 771829 Product of Thailand S/N : WCC3F2XUPPZJ MDL: WD5003AZEX-00MK2A0
White label (barcode)	WC C3F 2XU PPJZ
<b>Hard Disk #2</b>	
Main Label	WD 500GB SATA/64MB Cache WD5003AZEX WWN:50014EE262203CF4 DATE : 08 NOV 2015 DCM : HANNHT2MHB DCX : ZM0ZK052X 5VDC : 0.68A 12VDC : 0.55A R/N : 771829 Product of Thailand S/N : WCC3F0JZXEZV MDL: WD5003AZEX-00MK2A0
White label (barcode)	WC C3F 0JZ XEZV

# CineCert

2840 North Lima Street, Suite 110A

Burbank, CA 91504

Tel: (818) 563-1455

Fax: (818) 563-1459

<b>Hard Disk #3</b>	
Main Label	WD Enterprise-class 4.0TB WD Re SATA/64MB Cache WD4000FYYZ S/N : WMC130F9W086 MDL : WD4000FYYZ-01UL1B3 WWN:50014EE65BC1FDF0 LBA : 7814037168 DATE : 05 FEB 2016 5VDC : 0.52A DCM : HBNNHTJAA 12VDC : 0.63A DCX : 9F38Y0BEW R/N : 771822 Product of Malaysia
White label (barcode)	WM C13 0F9 W086
<b>Hard Disk #4</b>	
Main Label	WD Enterprise-class 4.0TB WD Re SATA/64MB Cache WD4000FYYZ S/N : WMC130F9J1J0 MDL : WD4000FYYZ-01UL1B3 WWN:50014EE0597B98A4 LBA : 7814037168 DATE : 05 FEB 2016 5VDC : 0.52A DCM : HANNNTJMA 12VDC : 0.63A DCX : 9F3JY04EJ R/N : 771822 Product of Malaysia
White label (barcode)	WM C13 0F9 J1J0
<b>CRU Dataport Removable Disk</b>	
White label (barcode)	DX115 ID:06-300567539 C PN:6602-7100-0500 11/07/11 <a href="http://www.cru-dataport.com/digital-cinema">http://www.cru-dataport.com/digital-cinema</a>
Silver label	E237918 Rating:5/12VDC 3/6A N1388
<b>Power Supply</b>	
Top label	SPI SPARKLE POWER SWITCHING POWER SUPPLY MODEL NO:SPI3001UH AC INPUT: 100-240V~, 5.0A, 60-50HZ MAX OUTPUT POWER: 300W (+3.3V & +5V=120W MAX)(+12V1 & +12V2=20A MAX) +3.3VDC 16.0A(ORG), +5VDC 18.0A(RED), -5VDC 0.3A(WHITE) +12VDC1 16.0A(YEL/BLACK), +12VDC2 16.0A(YEL) +5VDCsb 2.5A(PURP), -12VDC 0.8A(BLUE) P.G. SIGNAL(GRAY), GROUND(BLACK)

# CineCert

2840 North Lima Street, Suite 110A

Burbank, CA 91504

Tel: (818) 563-1455

Fax: (818) 563-1459

Top label (barcode)	41081 ARX 508497
---------------------	---------------------